



EVEREST

sh2 SUPERSWEET WHITE FRESH MARKET



- Everest:** is a main season supersweet white fresh market variety, with good yield of large well filled ears on a good plant.
- **Field Performance:** Main season. Moderate vigor. High yield of large cobs with deep petite kernels. Good tip filled ears on a strong plant. Moderate disease resistance.
 - **Packing and Shipping Performance;** Suitable for loose packing, boxing or tray packs. Can get too large in girth and length for tray packing. Medium to good white colour. Dark flag leaf and husk color with moderate husk cover.
 - **Management Points:** Good yield potential of large uniform sized cobs. Very good holding ability. Good stalk strength. Wide harvest window. Can get big.
 - **Maturity Slot:** Plant throughout the season. Widely adaptable.

Supersweet White (sh2)	Plant Characteristics								Disease Resistance								Herbicide Tolerance		
	Days to Relative Maturity	Cob Length (cm)	Cob Length (Inches)	Cob Width (cm)	Cob Width (Inches)	Row Number	Plant Height (Low, Medium, Tall)	Cob Height (Low, Medium, Tall)	Rust Common (Ps) avir(+D)	Rust Common (Ps) D-vir	Rust Common (Ps) G-vir(+D)	Rust Common (Ps)	Northern Corn Leaf Blight = NCLB (Ei)	Stewarts Wilt (Pst)	Maize Dwarf Mosaic Virus (MDMV)	Southern Leaf Blight	Gosses Wilt	Reaction to Callisto (mesotrione)	Reaction to Accent (nicosulfuron)
Everest	79	21	8.6	5.5	2.2	18	M	M	IR	IR	IR	IR	SU	SU	HR	IR	Tol	Tol	*
ZHW1622OP	82	20	8.2	5	2.0	18	M	M	HR	IR	HR	HR	IR	SU	HR	*	Tol	*	Tol
ZHW1287NF	81	19	7.8	5.3	2.2	18	M	M	SU	SU	SU	SU	IR	SU	IR	IR	Tol	Tol	*

For full variety data comparisons and complete disease information refer to the Sweetcorn Variety Data Sheet

HR: High/Standard Resistance IR: Moderate/ Intermediate Resistance SU: Susceptibility * means we have insufficient data

Contact your distributor for more information. Not all varieties are available in all countries

The information contained herein is intended as a guide only. Data is based on averages collected from around the world and are indicative only. Varieties should always be trialed in the area they are proposed to be grown. Varietal performance is influenced by many variables, including soil and climatic conditions, cultural and management practices. No liability will be accepted by HSR Seeds or its representatives for the accuracy of this information.



HSR Seeds Pty Ltd
 Head Office: Wondai Queensland Australia Ph:+61 7 4169 0011
 Southern Office: Orbost Victoria Australia Ph:+61 3 51541878
www.hsrseeds.com.au

